MORE THAN 2,000 RETAIL ITEMS • YOUR PYRIMID OF PROFIT

Volume 1 • 2004

MANHATTAN®

FINEST QUALITY COMPUTER PRODUCTS

Proudly Manufactured and Marketed by IC INTRACOM®



Everything You Need to Put the Profit Back Into Your PC Business!™

For Resellers Only

MANHATTAN
FINEST QUALITY COMPUTER PRODUCTS

In this complete MANHATTAN® Product Guide you will find all the products that will add profit to your business. Once again, many new items have been added to the line, assuring a continued cutting edge selection, enabling you to be the reseller of choice for consumers seeking quality PC components, peripheral and accessory solutions.

This comprehensive resource is published twice per year with the next edition scheduled to be on your desk in January 2004.

Our carefully chosen product line, professional packaging, and powerful and consistent branding combine to make MANHATTAN the number one choice for PC retailers in more than 70 countries worldwide.

Should you have questions or need additional information on any of the products or services offered in this catalog, simply contact your sales representative for quick, friendly and accurate answers.

Depend On MANHATTAN To Put The Profit Back Into Your PC Business!™

The Ultimate Success of Any Computer Retail Operation Depends on… 3 Simple Factors!

Sales Component	Margin Opportunity	Leading Suppliers
✔ Hardware	Low	Compaq®, HP®, etc.
✔ Software	Medium	Microsoft®, Symantec®, etc.
✔ Everything Else!	High	MANHATTAN®

QUALITY PRODUCTS

MANHATTAN products are sold through more than 10,000 computer retailers in over 70 countries worldwide. Utilizing company owned and ISO 9000 certified factories, a strict adherence to quality is maintained. Expert selection and value allow you to rely on MANHATTAN products to provide you with the optimal mix of the most current, high quality name brand products, each adding significant profit to every computer sale.

COMPLETE SATISFACTION

We proudly stand behind all of our products and want you to do the same. Every item in the MANHATTAN family has been carefully chosen to meet the needs of both the retailer and the consumer. Should you encounter any product which does not meet your complete satisfaction, contact your MANHATTAN representative for a fast resolution.

SOLID BRAND RECOGNITION

To most effectively leverage your store's retail appearance, all MANHATTAN products are professionally packaged and grouped into one of several popular brands – Name brands that you can depend on to keep your customers coming back again and again.

MANHATTAN
FINEST QUALITY COMPUTER PRODUCTS

Popular brands in the MANHATTAN line include:

PC CLEAN ADVANCED DRAWN

MERCURY

SURGEMAX MAXIMUM SURGE PROTECTION

iC Gear

SoundSource COMPUTER SPEAKER SYSTEMS

True-Touch

INTELLINET ACTIVE NETWORKING

As the world continues to become more and more computer dependent, the need for PCs to talk to one another is increasing rapidly. Enter INTELLINET ACTIVE NETWORKING®. This broad and comprehensive collection of high quality networking products and solutions provides everything you need to round out your retail operation. Manufactured and marketed to the same high standards by the people who bring you MANHATTAN, you know you can trust INTELLINET ACTIVE NETWORKING products to please your customers and make you their computer vendor of choice. Your sales representative will be happy to provide you with full details. ***See pages 36-42 for a product preview.***

PARTNER Plus
AUTHORIZED RESELLER PROGRAM

Your Next Level of Success!

Whether you are an Independent Retailer, VAR, System Integrator or other type of technology provider, IC INTRACOM's Authorized Reseller Program provides our customers with all the tools necessary to increase profits and maximize return on investment.

The *Partner Plus* program offers exceptional benefits to qualified Resellers based on membership level: Gold, Platinum or Diamond. In addition, all members are eligible to receive further incentives if they specialize in MANHATTAN or INTELLINET ACTIVE NETWORKING products.

Features & Benefits

As an exclusive member of the Partner Plus Authorized Reseller Program, your company is entitled to many valuable resources – resources specifically designed to ensure your business success!

Starter Kit: To get you up and running quickly, new *Partner Plus* members are immediately shipped a supply of sales tools including product catalogs, brochures, posters, t-shirts, hats, coffee mugs, mouse pads and more.

Marketing: Resellers enrolled in *Partner Plus* will have an immediate edge over their competition by appearing on our Authorized Dealer Locator at www.icintracom.com. Other marketing benefits may include a "live" Network IP Camera link to your business, preferential sales leads and access to IC INTRACOM's graphic and trade show services, just to name a few.

Support: *Partner Plus* provides our Authorized Resellers with toll-free technical support and customer service, cross shipments, direct access to our knowledge database, and a 90-day stock rotation plan.

Training: To keep you current on the latest products and technologies, the *Partner Plus* program provides members with ongoing training manuals, computer-based certifications, and even live classes at our headquarters located in Tampa, Florida.

Certificates & Awards: Proudly display your status as an Authorized Reseller with MANHATTAN and INTELLINET ACTIVE NETWORKING certificates, plaques and trophies. This will give your customers added confidence resulting in additional business for you.

Pricing: *Partner Plus* members will have the advantage of higher profit margins through discounts off standard reseller pricing.

Freight: *Partner Plus* members also enjoy free shipping and freight allowances that other customers do not.

Loyalty Club

IC INTRACOM manufactures more than 2,000 products specifically for the Independent Reseller. All items are professionally branded MANHATTAN and INTELLINET ACTIVE NETWORKING. Our concept of offering a broad array of high quality, cutting-edge products eliminates the need to buy from any other source. As a token of our appreciation to those companies who take advantage of the strength of our concept, we've created the Loyalty Club.

Loyalty Club members receive –

Additional Discounts: This is an additional price discount on top of the Authorized Reseller Program discount.

IC Points: Similar to frequent flier miles, IC Points can be exchanged for customized catalogs, brand apparel, promotional products, training, co-op advertising, retail racks and even membership dues!

Extended Marketing Benefits: Loyalty Club members also receive additional marketing benefits, including free or discounted sales materials, priority purchasing, and new product beta testing opportunities.

Special Promotions: Loyalty Club members are able to take full advantage of periodic brand and level-specific sales promotion programs and salesperson incentives (SPIFs).

So What Does All This Mean to Me?

By becoming an authorized *Partner Plus* member, you'll now have access to all of the vital Sales Tools, Services and Support necessary to compete on a level with the mass merchandisers – **Your Next Level of Success!**

Starter Kit

A key item in the Starter Kit, the "Hot Products" mailer contains the required stocking items for the successful Independent Reseller. Contact information can even be custom imprinted for mass mailing to your prospect database.

Marketing

Our world-class website is an excellent lead generator and reference tool. *Partner Plus* also provides expert resources to support your own online marketing efforts.

Training

Receive in-depth staff training on MANHATTAN and INTELLINET ACTIVE NETWORKING products at the IC INTRACOM World Headquarters. Can you think of a better place to learn than in the warm sunshine of the Florida Gulf Coast?

IC Points

Use your IC Points to earn items like our popular brand attire. You can now promote your MANHATTAN and INTELLINET ACTIVE NETWORKING products both on and off the job. Perfect for any and all PC professionals.

Join Today...

and become one of the elite who enjoy all the many benefits *Partner Plus* has to offer.

www.icintracom.com

1-800-881-7325

HOT PRODUCTS IN THIS ISSUE

FireFly Lighted Keyboard
Pg. 4-

Bluetooth Optical Mini Mouse
Pg. 6-

4000 Series 6-Piece Home Theater Speaker System
Pg. 9-

Speaker/Headset Switch
Pg. 14-

Stereo Headphone
Pg. 14-

Mono Headset with Mic
Pg. 14-

Line-Interactive UPS
Pg. 10-

Surge Protectors
Pg. 12-

ATX Mid Tower Case
Pg. 15-

FireWire Cable Illuminated Ends
Pg. 25-

Serial ATA EL Cable
Pg. 16-

Dual Cold Cathode Lamp
Pg. 17-

Laser LED for Case Mount
Pg. 17-

Internal Bay Mount USB 2.0 Hub
Pg. 21-

7 Port USB 2.0 Hub
Pg. 20-

Serial ATA 150 Enclosure
Pg. 24-

2 Port USB 2.0 Mini Hub
Pg. 20-

USB Bluetooth Adapter
Pg. 23-

USB 2.0 Mini Docking Station
Pg. 23-

USB 2.0 Video Grabber
Pg. 22-

USB 2.0 Audio & Video Grabber
Pg. 22-

Long Distance USB 2.0 Extension
Pg.23-

PCI Serial ATA 150 Adapter
Pg. 28-

Serial ATA 150 to IDE Converter
Pg.29-

4 Channel Fan Controller
Pg. 33-

IDE Internal - SATA External Docking Kit
Pg.35-

10/100 Network Card
Pg. 36-

USB Data Indicator
Pg. 46-

IEEE 1394b Cable
Pg.25-



Illuminated USB 2.0 A to A Extension
Pg. 46-

Illuminated USB 2.0 A to B Cable
Pg. 46-

LC/LC Fiber Optic Patch Cable
Pg. 67-

Wrist-Rest Mouse Pad
Pg.74-

Fun!Cam
Pg. 23-

Aluminum Business Case
Pg.77-

Digital Film Camera Bag
Pg.78-

Data Killer - Automatic CD Shredder
Pg. 70-

USB Base Station
Pg.79-

PC COMPONENTS & ACCESSORIES
Pages 2-42

PERIPHERALS
MULTIMEDIA
POWER PROTECTION
PC COMPONENTS
PC CARDS
NETWORKING PREVIEW
KVM SWITCHES

CABLES & DATA COMMUNICATIONS
Pages 43-69

RETAIL PACKED CABLES
BAG PACKED CABLES
DATA SWITCHES
CABLE TESTERS & TOOLS

OFFICE ACCESSORIES
Pages 70-79

DESK ORGANIZATION
MEDIA STORAGE
MOUSE PADS
MOBILE COMPUTING

Multimedia Keyboard

- 15 programmable "Hot Keys"
- One touch access: WWW, volume, close, short-cuts and more
- Ergo wrist rest connected included

154727
PS/2

170338
PS/2, Black

171328
USB

170659
USB, Black

Roll-up Keyboard

- Great for traveling!
- Roll-up for easy storage
- Dust and moisture proof
- CE and FCC tested and approved
- Standard PS/2 104 keyboard
- Lifetime: 15,000,000 keystrokes
- Windows 95/98/2000/Me/XP compatible

156530
PS/2, Blue

171625
PS/2, White

171618
USB - PS/2 Combo, White

431637
Multimedia PS/2

171571
Multimedia PS/2, White

NEW 172059
USB - PS/2 Combo, Blue

Deluxe Multimedia Keyboard

- Sleek, modern design
- Hot Keys for Multimedia, Internet, Microsoft Office and Other Applications
- Built-in Ergonomic Wrist Rest
- Windows 98/ 2000/ Me/ XP Compatible

171588
USB & PS/2 Combo

171595
USB & PS/2 Combo, Black

FireFly Lighted Keyboard

- USB slim keyboard with EL back light and full size keys
- Ideal for low-light and nighttime environments
- Sapphire Blue Electro Luminescent (EL) technology
- Precise and quiet key action
- Multimedia Hot Keys
- 104 key layout with translucent key caps, 17 media keys plus key for EL On/Off switch
- Fully compatible with Windows Me/2000/XP

171939

Operates in Complete Darkness

Office Keyboard

- 19 Office and multimedia hot keys
- Hot keys for Microsoft Office functions including open, close, save, replace, undo, redo, spell check, cut, copy, and paste
- Multimedia hot keys for volume up and down, mute, email, web, and calculator
- Built-in ergonomic wrist rest
- Windows 98/2000/Me/XP compatible
- CE and FCC tested and approved

169967
PS/2, Black

169936
PS/2

Related Products

PS/2 Keyboard Cable p. 50
360180

4 Port USB 2.0 Pocket Hub p. 20
522717

Economy Keyboard

168632
PS/2

156950
PS/2 Spanish

Premium Keyboard

154796
PS/2

155052
USB

Black Keyboard

169974
PS/2, Black

Wireless Infrared Keyboard

- Built-in trackball
- Power/Sleep and Wake keys for Windows 98
- Scrolling buttons for browsing
- Windows compatible

167390
PS/2, Infra-Red

Keyboard/Mouse RF Combo

- Radio Frequency Technology - Line of sight with receiver not required
- Wireless Multimedia Keyboard with 18 internet and multimedia hot keys
- Hot keys for Microsoft Word, Excel and PowerPoint
- Undo and Redo keys
- PS/2 Connection

157728 Wireless Keyboard/Wireless Mouse

169622 Wired Keyboard/Wireless Mouse

NEW 172196
PS/2, Radio Frequency

Multimedia Keyboard with USB Hub

- Built-in 2 port USB hub for easy access
- Multimedia hot keys include Mute, Volume, Previous, Stop, Play and Next
- Internet hot keys include Back, Forward, Stop, Refresh, Search, Favorites, Home and E-Mail
- Power management hot keys include Power, Sleep and Wake-Up
- Long 10,000,000 key stroke life cycle
- Compact space saving design (430 x 193 x 31 mm) (17" x 7.625" x 1.25")
- Windows compatible

337922 USB

3-in-1 Set Keyboard, Mouse & Speakers

- 104 key Windows compatible keyboard
- Scrolling mouse
- 160 W PMPO speakers

169981 PS/2 Set

See page 15 for matching Designer Cases

Keypad

- 27 keys
- Numeric keypad with additional keys for scrolling, page up, page down & end

167376
USB

Related Products

Keyboard Adapter Cable p. 50
362559

PC Clean Air Duster p. 73
410250

Bluetooth Optical Mini Mouse

- 2.4 Ghz RF band operation
- Ideal size for notebook computers
- Precision optical sensor
- Programmable scrolling wheel
- 10 Meter (32+ ft.) operational range
- Compatible with all Bluetooth adapters

171687

Wireless Optical ScrollBall Mouse

- Wireless Freedom - Digital Radio Frequency Technology - Line Of Sight with Receiver Not Required
- Optical Precision Movement - 800 DPI High Resolution Sensor - No Moving Parts to Clean
- 3600 ScrollBall for navigating windows with scrollbars Includes zoom function
- Adjustable transmit frequency and security codes
- Optical technology works on almost any surface
- Power saving sleep/one touch wake up
- Windows 98/2000/Me/XP compatible

171267

Scroll ball for X & Y axis, 8-way scrolling

Wireless Optical Mouse with Mini Receiver

- Mini cordless optical mouse
- Ideal for notebook computers
- Compact USB receiver
- Line of sight with receiver not required
- Optical sensor system stays precise, no moving parts to clean
- Programmable scrolling wheel with more than 30 different functions, including zooming and horizontal or vertical scrolling
- Windows 98/2000/Me/XP compatible

169868 USB

Optical Scrolling Mouse

- Precision Laser Optical design - no mouse ball
- Programmable 3rd button
- Scrolling trackball with 360º scrolling, browsing and zooming functions
- 400 dpi resolution
- Windows compatible

167710 PS/2

170123 USB

Presentation Mouse

- Presentation Mouse
- Perfect for use with projectors
- Radio frequency signal – line of sight not required
- Control PC from up to 30 feet away
- Built-in laser pointer
- Convenient thumb-controlled scroll ball
- No software required
- Windows 98/2000/Me/XP compatible

171069 USB / PS/2 Combo

Mini Optical Trackball Mouse

- Ideal for the traveling professional
- Handheld trackball function - Perfect for presentations
- Precision laser optical design - no mouse ball to clean
- Horizontal, vertical and diagonal scrolling
- Windows 98/Me/2000/XP compatible

170635

Wireless Scroll Mouse

- RF Technology, line of sight with receiver not required
- Scrolling wheel for browsing
- Windows compatible

167413
PS/2

167871
USB

Graphics Tablet

- Easily paint, draw, sketch, sign, markup documents
- Send Handwritten E-mail
- Graphics Tablet combines all keyboard, mouse and pen functions into one integrated device

169035 USB, 5.5" x 4"

NEW 171878 USB, 8" x 6"

Related Products

Designer Mouse Pad - Tiger p. 74
426527

USB Extension Cable p. 46
364379

Optical Scroll Mouse

- Precision Laser Optical design - no mouse ball
- Optical scrolling wheel for browsing and zooming
- Windows compatible

167833
PS/2

167840
USB

167697
PS/2, Black

171496
USB, Black

Mini Optical Scroll Mouse

- Ideal for traveling and mobile professionals
- Precision optical design
- Single scroll wheel for both vertical and horizontal scrolling
- Windows compatible

169899 USB, Black

PS/2 Value Mouse

- 2-button PS/2
- 250-2500 dpi dynamic resolution
- Mini DIN6 female connection
- Windows compatible

159227

Scroll Mouse

- Scrolling wheel for browsing
- Scrolling and zooming function
- Programmable 3rd button
- Opti-mechanical technology
- 400 dpi resolution
- Windows compatible

165266
PS/2

169844
PS/2, Black

165013
USB

169851
USB, Black

USB Value Mouse

- 3-button USB
- 250-2500 dpi dynamic resolution
- Windows compatible

167796

Serial Value Mouse

- 3-Button Serial
- 2/3-button switchable
- 250-2500 dpi dynamic resolution
- Windows compatible

159104

Related Products

USB 2.0 PCI Card p. 21
167741

USB to PS/2 Converter p. 22
364966

1000 Series Speaker System

- Compact powered multimedia speaker system
- Magnetically shielded to prevent monitor distortion
- Convenient headphone jack
- 100 Hz - 16 kHz frequency range

168762

120 WATTS PMPO

1000 Series USB Powered Speaker System

- Powered via USB port
- Magnetically shielded to prevent monitor distortion
- Convenient headphone jack
- 100 Hz - 16 kHz frequency range

169004

120 WATTS PMPO

1100 Series Speaker System

- Compact powered multimedia speaker system
- Magnetically shielded to prevent monitor distortion
- Cloth grill
- 80 Hz - 16 kHz frequency range

168779

170529 Black

160 WATTS PMPO

1200 Series Speaker System

- Compact powered multimedia speaker system
- Magnetically shielded to prevent monitor distortion
- Cloth grill
- 100 Hz - 16 kHz frequency range

168755

260 WATTS PMPO

Crystal Series Multimedia Speaker System

- High-quality sound in a compact, modern design
- Magnetically shielded to prevent monitor distortion
- 120 Hz - 16 kHz frequency range

168823

160 WATTS PMPO

Baymount Speaker System with 2 USB Ports

- Transfers main board USB ports to the front for easy access
- Built in amplifier
- Dual anti magnetic stereo speakers
- 245 Hz – 16 kHz frequency range

168670

20 WATTS PMPO

2100 Series Multimedia Speaker System

- Unique design molds to monitor for optimum listening position
- 3-D sound option enhances output quality
- Magnetically shielded to prevent monitor distortion
- Cloth grill
- 40 Hz - 18 kHz frequency range

168793

240 WATTS PMPO

Related Products



Executive Stereo Headset p. 14

165525

Flexible Gooseneck Microphone p. 14

165242

2000 Series Speaker System

- Powered high quality multimedia speaker system
- Magnetically shielded to prevent monitor distortion
- Cloth grill
- 30 Hz - 19 kHz frequency range

168786

360 WATTS PMPO

3000 Series Speaker System

- Powered high-end multimedia speaker system
- Separate, front-mounted bass and treble controls
- Magnetically shielded to prevent monitor distortion
- 30 Hz - 19 kHz frequency range

168816

480 WATTS PMPO

3200 Series 3-Piece Subwoofer Speaker System

- High-end powered satellite and floor subwoofer speaker system
- Modern slim-line desktop speakers
- Powerful, reflex tuned wood-case subwoofer with 4" driver for deep, rich bass
- Remote volume and tone control
- Magnetically shielded to prevent monitor distortion
- 30 Hz - 20 kHz frequency range
- Wooden subwoofer housing

168809

680 WATTS PMPO

3100 Series 3-Piece Multimedia Speaker System

- High-end powered satellite and subwoofer speaker system
- Powerful 4 inch subwoofer driver
- Separate, front-mounted bass and treble controls
- Magnetically shielded to prevent monitor distortion
- Cloth grill
- 20 Hz - 20 kHz frequency range

168731

580 WATTS PMPO

NEW 4000 Series 6-Piece Home Theater Speaker System

- High-end home theater audio system with built-in amplifier
- 1 large subwoofer, 4 full-range satellite speakers, 1 center speaker
- Magnetically shielded to prevent monitor distortion
- Convenient control box for adjusting power, volume and bass
- Stylish silver and black casing
- Cables and speaker stands included
- 20 Hz – 50 kHz frequency range
- 1500 Watts PMPO
- AC adapter
- Power LED and On/Off control
- Bass & volume control

171908

1500 WATTS PMPO

Related Products

Stereo Mini 1/8" Extension Cable p. 52

363723

PC Clean Anti-Static Multi-Surface Cleaning Wipes p. 73

433228

SURGE MAX

Line-Interactive UPS

Available May 2004

- Intelligent Line Interactive
- Lightening and surge protection
- Microprocessor controlled technology
- Automatic Voltage Regulation function (AVR)
- Overload and short-circuit protection
- Smart RS-232 or USB port for software management (Windows 95/98/2000/ME/NT/XP)
- RJ45 Internet surge protection

THREE YEAR EQUIPMENT PROTECTION GUARANTEE

172462 400 VA

172455 600 VA

172448 800 VA

MINUTEMAN® UPS

3 Year Warranty on All Units
Protect Your Power & Productivity

Enterprise™ 1500

- Pure sinewave output delivers clean, continuous power to sensitive components
- Built-in fax/modem/data protection
- Full protection against all voltage problems (sags, surges, spikes, brownouts)-EMI/RFI filters out line noise and harmonics
- SNMP-capable for easy Web-based remote power management
- MINUTEMAN Sentryll™ Power Management Software included
- Front-access, hot swappable batteries
- 5 UPS/Surge, 1 Surge only receptacles
- Dimensions: 16" x 17" x 3.5"
- $40,000 Platinum Protection Plan™ (U.S. & Canada)

E1500 1500 VA

E750 750 VA

Optional wall mount kit
MMWALLKIT

MN™ Series

- Stand-by UPS with block AC adapter spacing
- MN 325 is wall-mountable
- RJ11 modem/fax protection included
- Power monitoring and shutdown software included
- MN 325 has 2 UPS/surge, 2 surge-only outlets
- MN 525 has 3 UPS/surge, 3 surge-only outlets
- Dimensions 3.25" x 5.06" x 9.88" (MN 325)
- Dimensions 3.32" x 6.56" x 10.13" (MN 525)
- 3-year warranty for internal electronics (2-year warranty for batteries)
- Insured for up to $25,000 for MN 325 and $40,000 for MN 525 with MINUTEMAN Platinum Protection Plan (U.S. & Canada Only)

MN 325 325 VA MN 525 525 VA

PRO-E™ Series

- Line-interactive UPS with AVR (Automatic Voltage Regulator) that provides double-boost, single-buck for AC voltage fluctuations
- RJ45/RJ11 network/modem/fax protection
- MINUTEMAN SentryII™ power management & diagnostic software included
- USB & RS232 connectivity
- 6 UPS/surge outlets (PRO1100E & PRO1500E)
- Dimensions 8.03" x 6.38" x 16.18" (PRO1100E & PRO1500E)
- 3-year parts and labor warranty
- Insured for up to $50,000 MINUTEMAN Platinum Protection Plan (U.S. & Canada Only)

15181 1100 VA

MBK™ Series

- Line-interactive UPS with AVR (Automatic Voltage Regulator) that provides AC boost for voltage fluctuations
- RJ45/RJ11 network/modem/fax protection
- MINUTEMAN SentryII™ power management & diagnostic software included
- USB connectivity
- 4 UPS/surge, 2 surge-only outlets
- Dimensions 7.56" x 6.38" x 12.56"
- 3-year warranty for internal electronics (2-year warranty for batteries)
- Insured for up to $50,000 MINUTEMAN Platinum Protection Plan (U.S. & Canada Only)

15177 550 VA 15178 750 VA

Related Products

Standard PC Power Cable p. 50
364300

ATX Mid Tower Case p. 16
168717

THREE YEAR Limited Guarantee

Features:

- **Automatic Battery Backup**
- **High/Low Voltage Correction**
- **Surge Suppression for AC/Modem/Network**
- **Smart RS-232 Interface Port**
- **Three Year Limited Warranty**
- **Free Smart Software Included**

SurgeMax UPS 280 VA

- MSRP 99
- Rating VA 280
- 170 Watts
- Half Load Runtime of 15 min.
- 2 UPS + RJ11/45 Receptacles
- DB9 Comm Port

168861

SurgeMax UPS 660 VA

- MSRP 199
- Rating VA 660
- 400 Watts
- Half Load Runtime of 35 min.
- 4 UPS + RJ11/45 Receptacles
- DB9 Comm Port

168854

SurgeMax UPS 425 VA

- MSRP 149
- Rating VA 425
- 255 Watts
- Half Load Runtime of 25 min.
- 3 UPS + RJ11/45 Receptacles
- DB9 Comm Port

168878

SurgeMax UPS 1000 VA

- MSRP 399
- Rating VA 1000
- 600 Watts
- Half Load Runtime of 70 min.
- 6 UPS + RJ11/45 Receptacles
- DB9 Comm Port

166324

SurgeMax UPS 1400 VA

- MSRP 499
- Rating VA 1400
- 840 Watts
- Half Load Runtime of 120 min.
- 6 UPS + RJ11/45 Receptacles
- DB9 Comm Port

168847

Rackmount UPS

THREE YEAR LIMITED GUARANTEE

- Three interface ports for monitoring multiple servers
- Surge protection for modem/network (RJ11/RJ45)
- Automatic battery backup
- High/Low voltage correction
- Surge Suppression for AC/modem/network
- Smart RS-232 interface port
- Six wide-spaced output receptacles
- Re-settable circuit breaker for overload protection
- Free Smart Software included

170192 1400 VA

For more information visit www.surgemax.net

Related Products

16 Port KVM Switch with OSD p. 42
157858

SurgeMax Surge Protector p. 12
570831

SurgeMax premium surge suppressors are specially designed for for business, personal computer use and home use. It protects your computers, scanners, printers, modems, fax machines, and other electrical equipment against damaging electrical spikes and surges caused by lightning and other disturbances. It is designed to provide safe power, and filters Radio Frequency (RFI) and Electromagnetic (EMI) Interference.

Surge Protector for Network

- Modem and fax protection
- Coaxial cable protection - 4 jacks
- 2,840 joules
- 8 outlets, 1 input/2 output phone jacks
- Lighted On/Off reset switch
- EMI / RFI noise filter
- 3 outlets for AC adapters
- Resettable circuit breaker
- Three-line surge protection (hot, neutral, ground)
- Wiring fault and protection LEDs - Red means faulty - Green means OK
- 12 ft. heavy-duty cord
- Right angle plug
- Mounts to wall or other flat surface (Hardware not included)

570848

Surge Protector for PC Systems

- Modem or fax protection
- 1,620 joules
- 6 outlets, 1 input/1 output phone jack
- Protection indicator LED
- Lighted On/Off reset switch
- EMI / RFI noise filter
- 2 outlets for AC adapters
- Resettable circuit breaker
- Three-line surge protection (hot, neutral, ground)
- 12 ft. heavy-duty cord
- Mounts to wall or other flat surface (Hardware not included)

570824

Surge Protector for Home Use

- Modem or fax protection
- 750 joules
- 6 outlets, 1 input/1 output phone jack
- Protection indicator LED
- Lighted On/Off reset switch
- EMI / RFI noise filter
- Resettable circuit breaker
- Three-line surge protection (hot, neutral, ground)
- 6 ft. heavy-duty cord
- Mounts to wall or other flat surface (Hardware not included)

570800

Surge Protector for Business

- Modem and fax protection
- 2,720 joules
- 8 Outlets, 1 input /2 output phone jacks
- Lighted On/Off reset switch
- EMI / RFI noise filter
- 3 Outlets for AC adapters
- Resettable circuit breaker
- Three-line surge protection (hot, neutral, ground)
- Wiring fault and protection LEDs - Red means faulty - Green means OK
- 6 ft. heavy-duty cord
- Mounts to wall or other flat surface (Hardware not included)

570831

Surge Protector for PC Systems

- Modem or fax protection
- 1,290 joules
- 6 outlets, 1 input/1 output phone jack
- Protection indicator LED
- Lighted On/Off reset switch
- EMI / RFI noise filter
- Outlet for AC adapter
- Resettable circuit breaker
- Three-line surge protection (hot, neutral, ground)
- 6 ft. heavy-duty cord
- Mounts to wall or other flat surface (Hardware not included)

570817

Related Products

1100 Series Speaker System p. 8
170529

4 Port USB KVM Switch p. 42
157889

Surge Strip

- Integrated circuit breaker switch
- Listed under UL 1363
- 6 outlet 110 V

A. 309677 270 Joules

307192 90 Joules

B. 169721 5+3 Surge Protector

Surge Protector with RJ45 Protection

- DSL/Cable Modem Protection
- Network surge protection
- EMI/RFI noise filter
- 6 Outlets, 1 RJ45 Network Jack
- 270 Joules

167567

Traveler's Surge Protector with RJ11 Protection

309691

3 MOV Phone/Fax/Modem 270 Joules protection

Power Center Surge Protectors

- Six individual lighted rocker switches on front panel
- 15 AMP fuse circuit breaker w/ reset feature
- Master ON/OFF power switch
- Metal housing
- Listed under UL 1363 and 1449

166850

Power Center with Fax/Modem Protection, 300 joules

Surge Protector with RJ11 Protection

- Child-safe sliding cover
- Full 3 line surge protection
- EMI/RFI noise filter
- Phone/Fax/Modem protection
- Circuit breaker w/ reset feature
- Listed under UL 487A,1363 and 1449
- 270 Joules

160001

160025

Power Center with Fax/Modem Protection, 270 joules

Related Products

Desktop 5 port Switch p. 37

512725

3100 Series 3-Piece Multimedia Speaker System p. 9

168731

Multimedia Control Panel

- Moves USB, FireWire®, microphone, headphone and game ports to the front of the PC for easy access
- Mounts in any 5.25" bay

168595 Grey

Multimedia Access Panel

- Transfers any or all of the following to front of PC for easy access: USB Ports (2) / FireWire / Headphone Jack / Microphone Jack / Line-In Jack
- Mounts in any 3.5" bay

169752 Beige
170673 Black

Speaker/Headset Switch

- Easily switch between speakers and headset
- Volume control
- 3.5 mm plug for speakers and headset
- 2.5 mm plug for hands-free earphones
- On/Off switch for microphone
- 6 ft. cord

172851

Flexible Gooseneck Microphone

D. 165242

Clip-on Microphone

E. 166188

Desktop Boom Microphone

- Adjustable microphone can be set to many different positions
- Swivel base
- Suitable for multimedia, voice recognition and Internet applications
- Amplifies up to 15 times
- Condenser microphone
- Frequency response: 20 Hz-16 kHz
- 3 recording levels

Metal Base
F. 158954

Plastic Base
G. 164306

Wireless Stereo Headphone

- Radio frequency technology – Line of site with receiver not required
- Effective Range up to 100 Meters/360º
- 20-20,000 Hz frequency response
- Quickly connects to audio output of PCs, TVs, VCRs, etc.
- Adjustable frequency tuning for optimum performance
- Includes RCA cable, 3.5 mm plug cable, AC power adapter

A. 171199

Premium Headset

- Flexible boom microphone for hands free communication
- Padded leather ear cups
- Light weight steel frame construction for added comfort
- Omnidirectional condenser microphone
- Adjustable volume control

Deluxe Stereo Headset
B. 165518

Executive Stereo Headset
C. 165525

Professional Single Ear Headset

- 6 ft. cord
- 3.5 mm plug
- Slim microphone
- Volume control

173063

Single Ear Headset

- 6ft. cord
- 3.5 mm plug
- Flexible microphone

173070

Economy Stereo Headset

- Flexible boom microphone for hands free communication
- Light weight plastic frame construction for added comfort
- Omnidirectional condenser microphone
- Adjustable volume control

164429

Economy Headset

- 6 ft. cord
- 3.5 mm plug
- Volume control

172479

Related Products

USB Audio & Video Grabber p. 22
157650

Multimedia Keyboard with USB Hub p. 5
337922

ATX Baby Tower

- 3 x 5.25" bays
- 2 x 3.5" bays
- 2 Internal drive bays
- Includes 300 W power supply
- Front USB 2.0 and audio

171489 Black

169929 Beige

ATX Mid Tower

- 4 x 5.25" and 2 x 3.5" bays
- 6 internal drive bays
- Includes 400 W power supply
- Front USB 2.0 and audio

171717 Black

171748 Clear side panel for 171717

171724 Beige

171755 Clear side panel for 171724

See page 5 for matching 3-in-1 Keyboard, Mouse, Speaker Set

Designer ATX Mid Tower

- 3 x 5.25" and 2 x 3.5" bays
- 2 internal drive bays
- Includes 300 W power supply

166287

ATX Mid Tower

- 4 x 5.25" and 2 x 3.5" bays
- 2 internal drive bays
- Includes 400 W power supply
- Front USB 2.0 and Audio

171731 Black

169264 Clear side panel for 171731

Flex ATX Case

- Accepts both Flex ATX and Micro ATX motherboards
- Screwless design with removable drive carriage for ease of assembly
- 1 x 5.25" bay and 2 x 3.5" bays
- 1 x internal bay
- Front USB (2), Firewire, and Audio Ports
- 200 W power supply

NEW 171991

Rack Mount Case

- 300 W UL power supply included
- Fits any standard 19" rack or enclosure

169240 4 U rack mount case, black

168625 2 U rack mount case, black

166653 Redundant power supply, 300 W, UL Listed

166654 Sliderails for mounting in cabinets

ATX Mid Tower

- 3 x 5.25" and 2 x 3.5" bays
- 2 internal drive bays
- Includes 400 W power supply
- Screwless Hard Drive Bays

169332 Beige

Related Products

3-in-1 Set Keyboard, Mouse & Speakers p. 5

169981

Optical Scrolling Mouse PS/2 p. 6

167710

EL Cable Kit

- 3 ft. Electro-Luminescent cable
- Designed for use anywhere inside a computer case
- Includes inverter with standard 4 pin power supply connector

A. 170703 5 ft., Neon Green

170710 5 ft., Blazing Yellow

170734 5 ft., Flaming Red

170741 5 ft., Electric Blue



Flexible Construction – Shape to Any Design

Serial ATA EL Cable

- Electro luminescent cable for custom cases
- Cable for new SATA 150 hard drives

365550 50 cm

UV Sensitive ATA 133 Round Cable

- Glows neon green when exposed to ultraviolet cold cathode lighting
- For Ultra 133/100/66 IDE drives
- 3 connectors, 80 conductors
- Round design for increased air flow

D. 344715 18 in, UV

344722 24 in, UV

344739 36 in, UV

E. EL ATA 133 Floppy Drive Round Cable, Neon Green
- 2 Connectors, 34 Conductors

344708

Screwless ATX Case

B. 168717 300W ATX Case, Black

169257 300W ATX Case, Beige

170512 Beige Case with Window

170499 Black Case with Window

169790 Module adds two USB ports to the front of 169257 and 198717





EL ATA 133 Round Cable, Electric Blue

- Electro-luminescent cable for custom cases
- For Ultra 133/100/66 IDE Drives
- 3 Connectors, 80 Conductors
- Round Design for increased air flow

F 344746 18 in, EL

344753 24 in, EL

344760 36 in, EL



G EL ATA 133 Floppy Drive Round Cable, Electric Blue
- 2 Connectors, 34 Conductors

345262

Related Products

SurgeMax UPS 280 VA p. 11

168861

Multimedia Access Panel p. 14

169752

Cold Cathode Lamp, Sound Activated

- Adjustable voice activated flash frequency
- Function switch for power on/off, normal, or voice activated
- Pass-thru power connector

169400 Midnight Blue

169417 Apple Green

169424 Cherry Red

169943 UV Black

Laser LED for Case Mount

- Illuminates entire case
- Self-adhesive tape for mounting
- Standard 4-pin power connector

172318 Blue

172325 Green

172301 Red

172295 White

172288 UV

Cold Cathode Lamp

- Pass-thru power connector
- On/Off switch

172806 Midnight Blue

172813 Apple Green

172820 Cherry Red

172790 UV Black

Lighted Case Fan

- Ball bearing
- 3.1875" x 3.1875" x 1" (80 x 80 x 25 mm)
- 4 pin

701686 Midnight Blue

701693 Apple Green

H 701679 Cherry Red

701709 Rainbow

Dual Cold Cathode Lamp, Sound Activated

- Two bulbs for twice the light!
- Pass-thru power connector
- On/Off switch

172752 Midnight Blue

172769 Apple Green

172745 Cherry Red

172738 UV Black

Related Products

Screwless ATX Case p. 16
170499

EL Cable Kit p. 16
170703

Card Reader

- Ideal for downloading digital images
- High speed transfer rate

SONY Memory Stick Reader, USB
701006

CompactFlash Card Reader, USB
700528

CompactFlash Card Readers, FireWire®
701051

CompactFlash Card Reader, PCMCIA
512862

CompactFlash / Smart Media Combo Card Reader, USB
701501

Smart Media Card Reader, USB
701457

Smart Media Card Reader, FireWire®
701044

Bay Mount 6-in-1 Card Reader

- Mounts in any 3.5" bay
- Reads/writes CompactFlash, Smart Media, Memory Stick, Multimedia card, Secure Digital media, and IBM Microdrive cards
- Supports hot swapping between cards
- Automatic card detection
- Low power consumption
- USB Plug and Play for Windows 98/2000/Me/XP and Mac

701525 USB

NEW 701907 USB 2.0 Available Now!

NEW Card Reader & Multimedia Panel

Available Now!

- Reads/writes CompactFlash, Smart Media, Memory Stick, Multimedia, Secure Digital, and IBM Microdrive cards
- Transfers any or all of the following to front of PC for easy access: USB Ports (2) / FireWire Port / Headphone Jack / Microphone Jack / Line-In Jack
- Supports hot swapping between cards
- Drag and drop between cards
- Mounts in any 5.25" bay
- Automatic card detection
- Low power consumption
- USB Plug and Play for Windows 98/2000/Me/XP and Mac
- Note: ports/jacks must already exist on PC

701921



6-in-1 Universal Card Reader

- Reads/writes CompactFlash®, Smart Media, Memory Stick Multimedia, Secure Digital, and IBM Microdrive cards
- Supports hot swapping between cards
- Drag and drop data between cards
- Automatic card detection
- Low power consumption
- USB Plug and Play for Windows 98/2000/Me/XP and Mac

701648 USB

701822 USB 2.0

Related Products

4 Port USB Pocket Hub p. 20
516419

USB 2.0 A to B Shielded Cable p. 46
364751

Manhattan Barcode Scanners read the following codes:

- *ALL UPC/EA/JAN*
- *Code 39*
- *Code 39 FULL ASCII*
- *Code 128*
- *Interleave 25*
- *Matrix 25*
- *CODABAR/NW7*
- *BC 412*
- *Code 11*
- *MSI/PLESSEY*
- *Code 93*
- *China Postage*
- *Code32/Italian Pharmacy*

Unbelievably easy to use!

Contact CCD Barcode Scanner

• Built in keyboard wedge decoder

6 cm USB
400374

6 cm PS2
400343

8 cm USB
400367

8 cm PS2
460002

INFRARED ADAPTER

USB 2.0 Infrared Adapter

- Plugs directly into any USB port
- Instantly creates a 4 Mbps Fast Infrared (FIR) port
- Provides convenient data transfer for PDAs, notebooks, printers, mobile phones, or any infrared device
- Up to one meter operating range
- USB 1.1 and 2.0 compliant
- IrDA 1.0 and 1.1 compliant
- 2400 bps to 4 Mbps transfer rates

171656

Related Products

Roll-up PS/2 Keyboard p. 4
156530

USB Printer Cable p. 22
317474

FOR RESALE ONLY

4 Port USB Pocket Hub

- Bus powered
- USB 1.1 compatible
- LEDs for power and data transmission

516419

Slim Line USB 2.0 4 Port Hub

- Power adapter with space saving plug included
- Supports self powered mode
- Windows 98/2000/ME/XP compatible
- USB cable included

169318

NEW

7 Port USB 2.0 Hub

- Supports transfer rates up to 480 Mbps
- Backward compatible with any USB device
- All 7 ports have automatic speed detection and over current protection
- Supports self powered mode
- Includes AC power adapter and USB cable
- USB cable included
- Windows 98/2000/Me/XP compatible

519816 7 port

4 Port USB Mini Hub

- Instantly adds four USB ports to your notebook
- Built in connection cable
- Bus powered
- Windows 98/2000/Me/XP compatible

519700

NEW

2 Port USB 2.0 Mini Hub

- Built in connection cable
- USB 2.0 compliant
- Bus powered
- Windows 98/2000/Me/XP compatible

522694 2 port

USB Hub

- Automatically selects self or bus powered mode
- Four / six ports that have automatic packet connectivity and speed detection functions
- USB 1.1 compatible
- LEDs for power and data transmission
- Power adapter included

510431 4 port USB Hub

Ultra Slim USB 2.0 Hub

- Slim line design ideal for notebook and PDA users
- Supports any USB 2.0, 1.1, or 1.0 device
- Overcurrent protection
- Power adapter included
- Windows 98/2000/Me/XP compatible

519731

4 Port USB 2.0 Pocket Hub

- Supports USB 2.0 speeds of up to 480 Mbps
- LEDs for power and data transmission

NEW 522717

519380 Power adapter included

4 + 2 Port USB 2.0 Flex Hub

- 4 Port Hub for always-connected USB 2.0 devices
- 2 Port Hub for USB 1.1 devices that are frequently plugged in and out
- Ideal for digital cameras, card readers, USB memory sticks, etc.
- AC power adapter included
- Windows 98/2000/Me/XP compatible

519786

Related Products

Roll-up PS/2 Keyboard p. 4

156530

Wireless Optical ScrollBall Mouse p. 6

171267



4 Port USB Internal Hub

- 4 port, 3.5" bay mount
- USB 1.1 compliant

323864

USB 2 Port PCI Card

- Adds two USB ports
- USB 1.1 compliant
- Fully compliant with PCI specification 2.1
- Windows 98/2000/Me/XP, Mac OS compatible

317993

Internal Bay Mount USB 2.0 4 Port Hub

- Supports any USB device (USB 1.1 or USB 2.0)
- Mounts in any 3.5" or 5.25" bay
- Connects to PC power supply
- Overcurrent protection
- Hot Swappable - Add USB hub to PC, daisy-chain more hubs or connect peripherals while the computer is running
- Windows 98/ME/2000/XP, MAC and Linux compatible

338974

USB 2.0 PCI Card

- Adds USB 2.0 ports
- Generates USB 2.0 speeds up to 480 Mbps
- Supports any USB device (USB 1.1 or USB 2.0)
- Plug and Play for Windows 98/2000/Me/XP, Mac OS

169011 3 external & 1 internal USB 2.0 Ports

167741 2 external USB 2.0 Ports

NEW 171557 4 internal USB 2.0 Ports

4 Port USB Sharing Hub

- Ideal for connecting a notebook and a home PC to your USB devices
- Individual buttons to select USB devices for each computer
- 2 ports for connecting to two different PCs
- Includes USB A to B cables

519694



USB 2.0 5 Port Kit

- 3 front bay mount ports for easy access
- 2 rear ports (PCI card)
- Upgrades USB 1.1 to 2.0 (480 Mbps)
- Requires 1 open PCI slot
- Windows 98/2000/Me/XP compatible

339018

USB 2.0 4 port Sharing Hub

- Ideal for connecting a notebook and a home PC to your USB Devices
- Selection button and indicator LED
- 2 ports for connecting to two different PCs
- Includes USB A to B cables

522069

USB 2.0 PCMCIA Card

- Add 2 USB 2.0 ports to any laptop or notebook computer
- Compatible with any USB device
- 32 bit card bus fits type II or type III PCMCIA slots
- USB 1.0/1.1/2.0 compliant
- Windows 98/2000/Me/XP compatible

516167

Related Products

ATX Mid Tower p. 15

171717

USB 2.0 A to B Shielded Cable p. 46

364751

USB Video Grabber

- Capture video from any S-Video or RCA video source
- RCA and S-Video input
- Snapshot button to take still photos at 640 x 480 resolution
- Video up to thirty frames per second at CIF Resolution (352 x 288)
- Windows 98/2000/ME/XP compatible

164184

NEW

USB 2.0 Audio & Video Grabber

- High Speed USB 2.0 transfer rate for best audio and video recording and editing
- Capture audio and video from any S-video, RCA, or analog video source
- Record and edit full motion video or take snapshots
- Recording/editing software included
- RCA and S-video inputs,3.5 mm audio jack
- Windows 98/2000/Me/XP compatible

172431

Serial to USB Converter

- Serial to USB (DB9 male) converter
- Ideal for cellular phones, PDAs or any serial device
- Windows 98/2000/Me/XP compatible

205146

NEW

USB 2.0 Video Grabber

- Capture video from any S-video, RCA, or analog video source
- Supports NTSC, PAL or SECAM
- Full motion video (up to 30 fps)or snapshots
- Video editing software included
- RCA and S-video inputs plus RCA jack output
- Windows 98 or higher and iMac compatible

171472

PS/2 to USB Converter

- Two PS/2 Ports
- Connect a PS/2 keyboard and mouse via USB port

364966

USB Printer Cable

- Connects Parallel Printer to USB Port
- Fully Plug and Play compatible
- USB A connector to Centronics 36
- Low power consumption

317474

USB Audio & Video Grabber

- Capture audio and video from any S-Video or RCA source
- Supports NTSC, PAL or Secam
- Full motion video (up to 30 fps) or snapshots
- Video editing software included
- RCA and S-Video inputs plus RCA jack output
- Windows 98 or higher and IMAC compatible

157650

USB to Parallel Converter

- Converts a standard printer cable to a USB port
- Supports all printers
- USB 1.1 compliant

336581

SCSI to USB Converter

- Mini to USB DB50 male (SCSI II)
- Windows 98/2000/Me/XP compatible

326605

Related Products

ATX Mini Tower p. 15

169332

USB 2.0 A to B Shielded Cable p. 46

364379

USB Line Extender

- Extends the distance to any USB 1.1 device by up to 150 ft.
- Requires one standard RJ45 patch cable
- Embedded transceivers enhance signal and prevent signal loss

171632

USB 2.0 Mini Docking Station

- 3 USB 2.0 ports
- PS/2 ports for keyboard and mouse

522700



USB Active Extension Cable

- Assures signal quality and USB's electrical and timing specifications
- Connect up to 5 cables in series for a total of 80 ft

510042

USB 2.0 Active Extension Cable

- Overcome the 16 ft. (5 m) USB distance limit
- Cascade up to five Extenders for a maximum distance of 80 ft. (25 m)
- Bus powered - no external power needed
- USB 2.0 compliant

519779

USB to USB Data Bridge

- Transfer files between computers via USB ports
- Transfers data at 8 Mbps

363792

USB Bluetooth Adapter

- Adds Bluetooth wireless connectivity to a notebook or PC
- Compatible with all Bluetooth hardware peripherals
- USB 1.1 compliant
- Windows 98/2000/Me/XP/Mac compatible

169745

USB 2.0 Data Bridge

- Transfer data between PCs
- Software included

365437



External USB Floppy Disk Drive

- Slim design - Ideal for desktop and notebook computers
- Plug and Play - automatic detection and installation
- No external power required
- Windows 98/2000/Me/XP compatible

700856

*FUN!*Cam II with Audio

- USB Webcam with built-in microphone
- Resolutions up to 640 x 480
- Capable of up to 30 Frames per Second
- Capture and E-Mail Images and Videos
- Includes software for Photo Editing, Monitoring, Video E-Mail, and Greeting Cards
- 2 bases included – standard base and a clip-on base

460101

*FUN!*Cam

- Resolutions up to 640 x 480
- Capable of up to 30 frames per second
- Capture and E-mail images and videos
- Includes software for photo editing, monitoring, video E-Mail, and greeting cards
- Clip for mounting

460095

Related Products

4 Port USB Pocket Hub p. 20

516419

USB 2 Port PCI Card p. 21

317993

USB 2.0 2.5" HDD Enclosure

- USB 2.0 480 Mbps transfer rate
- Compatible with any 2.5 inch IDE hard drive
- Ideal for data storage, backups or transporting data
- Windows 98/2000/ME/XP and Mac compatible
- Works with any USB computer
- USB cable included
- No external power required

701617

USB 2.0 3.5" HDD Enclosure

- USB 2.0 480 Mbps transfer rate
- Compatible with any 3.5 inch IDE hard drive
- Ideal for data storage, backups or transporting data
- Windows 98/2000/ME/XP and Mac compatible
- Works with any USB computer
- USB cable and power adapter included

701594

FireWire 1394 2.5" HDD External Enclosure

- FireWire 1394 400 Mbps high speed data transfer
- Great for data storage, transfer and backups
- LED for power and disk activity
- Windows 98/2000/Me/XP and Mac compatible

701600

USB 2.0 CD-ROM Enclosure

- USB 2.0 480 Mbps transfer rate
- Compatible with any IDE CD/CDRW
- Ideal for data storage, backups or transporting data
- Windows 98/2000/ME/XP and Mac compatible
- Works with any USB computer
- USB cable and power adapter included

701587

FireWire 1394 3.5" HDD External Enclosure

- FireWire 1394 480 Mbps high speed data transfer
- Use any 3.5" IDE Hard Drive
- Great for data storage, transfer and backups
- LED for power and disk activity
- Power adapter included
- Windows 98/2000/Me/XP and Mac compatible

701624

Serial ATA 150 2.5" Enclosure

- Use any 2.5" Hard drive and get the benefit of SATA 150 speed
- 1.5 GPS SATA 150 transfer rate
- Portable pocket size enclosure with carrying pouch
- Shielded SATA 150 connector
- Power adapter included

171823

FireWire 1394 5.25" IDE CD-ROM Enclosure

- FireWire 1394 400 Mbps high speed data transfer
- Great for data storage, transfer and backup
- LED for power and disk activity
- Windows 98/2000/Me/XP and Mac compatible

701631

Related Products

Serial ATA150 Cable p. 29

340700



USB Floppy Disk Drive p. 23

700856



FireWire PCI Card

- 3 external FireWire ports
- 400 Mbps transfer rate
- Fully compliant with PCI specification 2.1
- Run up to 63 devices simultaneously
- Windows 98/2000/ME/XP, MAC OS compatible

167024 FireWire PCI Card

168588 FireWire PCI Card with photo editing software

Illuminated FireWire Cable

- Firewire 1394 connection cable

6 Pin to 4 Pin
365642 6 ft, white

6 Pin to 6 Pin
365635 6 ft, white

IEEE 1394 Cable

- For IEEE 1394 FireWire peripherals with power source

334068
6 pin to 6 pin

334259
6 pin to 4 pin

334020
4 pin to 4 pin

FireWire PCMCIA Card

- Adds FireWire ports to any notebook computer
- Compatible with any FireWire device
- Windows 98/2000/Me/XP compatible

512411

IEEE 1394b Cable

- Connects a 1394a device to a 1394 port
- Connects a 1394b device to a 1394a port

347532 6 ft. Black

IEEE 1394b Cable

- Connects a 1394a device to a 1394b port
- Connects a 1394b device to a 1394a port

347556 6 ft. Black

IEEE 1394b Cable

- Connects a 1394b device to a 1394b port
- 800 MHz

347563 6 ft. Black

FireWire Hub/Repeater

- Instantly adds 3/6 FireWire ports
- Automatically detects transfer rate
- LEDs for power and data transmission
- Run up to 63 FireWire devices simultaneously

515405 6 port

515399 3 port

Related Products

The “Executive Briefcase” p. 76

421454

Wireless Stereo Headphone p. 14

171199

PCI Enhanced Parallel Card

- PCI bus enhanced parallel port (EPP) - adds one additional LPT port to any PCI-equipped PC
- Easy Plug and Play installation - automatically configures I/O addresses and IRQ
- Configurable for standard ISA parallel port addresses (0278 and 0378) for compatibility with legacy peripherals (e.g. Zip drives)
- Up to 3 times faster than standard ISA and motherboard EPP parallel ports
- Windows 98/2000/ME/XP compatible

324007

PCI Low Profile Enhanced Parallel Card

- Half-height low profile card with 8 cm low profile bracket
- PCI bus enhanced parallel port (EPP) - adds one additional LPT port to any PCI-equipped PC
- Easy Plug and Play installation - automatically configures I/O addresses and IRQ
- Configurable for standard ISA parallel port addresses (0278 and 0378) for compatibility with legacy peripherals (e.g. Zip drives)
- Up to 3 times faster than standard ISA and motherboard EPP parallel ports
- Windows 98/2000/Me/XP compatible

166744



PCI Enhanced Dual Port Parallel Card

- Dual PCI bus enhanced parallel port (EPP): adds 2 additional LTP Ports to any PCI-equipped PC
- Up to 3 times faster than standard ISA and motherboard EPP parallel ports
- Easy Plug and Play installation - automatically configures I/O addresses and IRQ
- Both ports share 1 IRQ - even when accessed simultaneously. Saves resources for other expansion cards
- Configurable for standard ISA parallel port addresses (0278 and 0378) for compatibility with legacy peripherals (e.g. Zip drives)
- Windows 98/2000/Me/XP compatible

165297 Mercury Technology





PCI Dual Serial / Single Parallel Combo Card

- Two High Speed 16550 UART serial ports (one 9 pin & one 25 pin) - maximum data rate for each port: 115.2 kbps
- One Enhanced (EPP) parallel port up to 3 times faster than any other PC parallel port
- Fully supports IRQ sharing - saves valuable resources for other expansion cards
- Easy Plug and Play installation - automatically selects next available IRQ and I/O addresses
- Fully compliant with PCI specification 2.1
- Windows 98/2000/Me and Linux compatible

165495

Related Products

IEEE 1284 Printer Cable p. 48

360197

USB Printer Cable p. 22

317474

PCI 1/2/4 Port Serial Card

- PCI bus 9 pin High Speed 16550 UART serial ports - adds additional COM ports to any PCI equipped PC. Maximum data throughput rate: 115.2 kbps
- Fully supports PCI IRQ sharing - saves valuable resources for other expansion cards
- Easy Plug and Play Installation - automatically configures next available COM address and IRQ
- Windows 98/2000/ME/XP compatible

165976 1 Port

165273 2 Port

165501 4 Port





PCI 56K Modem

- Phone / Fax / Voice
- 32 Bit Bus Interface
- Windows 98/2000/Me/XP compatible

153577

PCI Low Profile Enhanced Serial Card

- Half-height low profile PCI card with 8 cm low profile bracket
- PCI bus 9 pin High Speed 16550 UART serial port - adds an additional COM port to any PCI equipped PC. Maximum data throughput rate: 115.2 kbps
- Fully supports PCI IRQ sharing - saves valuable resources for other expansion cards
- Easy Plug and Play Installation - automatically configures next available COM address and IRQ
- Windows 98/2000/Me/XP compatible

166614



USB 56K External Modem

- Fast 56 kbps download speeds
- Pocket size
- Windows 98/2000/ME/XP compatible

154383

PCMCIA 56K Modem

- Phone / Fax
- Cirrus Logic Chipset
- 32 Bit Bus Interface
- Windows 98/2000/Me/XP compatible

155403

Serial PCMCIA Adapter

- Adds a Serial Port (RS232) to Notebook computers
- Compatible with most serial devices
- Fits any Type II PCMCIA slot
- Creates a DB9 pin Com port
- Windows 98/2000/Me/XP compatible
- Fast 16C950 high performance UART chipset
- Baud rates of 15 Mbps
- Automated Flow control
- X on /X off settable
- Fully compatible with 16C950 type serial devices
- 32 bit Cardbus Type II
- 8 in. dongle cable included

171519 1 port

ADSL Modem

- PCI or USB versions available
- Integrated Telecom Express (Itex) Chipset
- Compatible with all T1.413, G.DMT (ITU-T G.992.1) and G.Lite
- Windows 98/2000/Me compatible

167987 PCI Internal

167970 USB External

517317 ADSL Splitter/Filter



Related Products

Serial to USB Converter p. 22

205146

Data Cable DB9 p. 49

360098

PCI SATA 150 RAID Controller Card

- Provides two SATA 150 channels
- Supports RAID level 0,1
- Supports ATA150 rates of up to 1.5 Gbps
- Silicon Image® chipset
- Bootable with ROM BIOS support
- Supports hard drives over 137 GB
- Windows 98/Me/NT/2000/XP compatible

170376



PCI Serial ATA 150 2 Port Adapter

- Adds One Internal and one External Serial ATA 150 Port
- Use with any Serial ATA150 Drive
- 1.5 Gbps Transfer Rate
- Serial ATA 1.0 Compliant
- Windows 98/2000/Me/XP Compatible

171816

SATA 150 / USB 2.0 Combo Controller Card

- Adds USB 2.0 and SATA 150 ports
- 3 External USB 2.0 Ports
- 2 Internal USB 2.0 Ports
- Fully USB 2.0 and SATA 150 Compliant

171809



Serial ATA 150 to PCMCIA Adapter, 2 Port

- Adds two fully compliant SATA 150 ports to any notebook
- 32 bit cardbus PC card
- Supports data rates of 1.5 Gbps
- Ideal for any SATA drive or storage device
- Windows 98/2000/Me/XP compliant

171786

Related Products

Serial ATA 150 2.5" Enclosure p. 24

171823

ATX Baby Tower p. 15

171489

SATA 150 to IDE Converter

- Use with any IDE hard drive, DVD, CD or CD-RW drive
- Allows IDE drives to operate with SATA 150 Controllers
- 1.5 Gb/s transfer rate
- SATA 1.0 compliant
- Requires one SATA 150 cable

170598 Vertical Connection

SATA 150 to IDE Converter



- Use with any IDE hard drive, DVD, CD or CD-RW drive
- Allows IDE drives to operate with SATA 150 controllers
- 1.5 Gb/s transfer rate
- SATA 1.0 compliant
- Requires one SATA 150 cable

172202 Horizontal Connection



IDE to Serial ATA 150 Converter

- Use with any Serial ATA 150 hard drive
- Allows Serial ATA 150 drives to operate with IDE controllers
- 66/100/133/150 MB/s transfer rate
- Serial ATA 1.0 compliant

170567

Serial ATA 150 Cable

- Cable for new serial ATA 150 hard drives
- Serial ATA interface

340700 50 cm (20 in.)

340717 100 cm (40 in.)



Serial ATA EL Cable

- Electro luminescent cable for custom cases
- Cable for new SATA 150 hard drives

365550 50 cm

Serial ATA Power Cable

4 pin to 15 pin

342766 16 cm (6.5 in.)

Related Products

Hard Drive Cooler and Mounting Kit p. 33

210799

Round IDE Ultra 100 Cable p. 53

334099

PCI Ultra 133 Raid Controller Card

- Two Ultra 133 IDE channels with 40 pin/80 wire connectors
- Supports up to 4 IDE/ATA devices
- RAID Level 1 (Mirroring) - an identical copy of your data is placed on another drive
- RAID Level 0 (Striping) - increases sustained data transfer rates
- RAID Level 0 + 1
- Supports any IDE Hard Drive, DVD, CD-ROM or Zip Drive
- Windows 98/2000/ME/XP/NT 4.0 compatible

168700



Ultra SCSI Controller Card

- For Ultra SCSI devices
- 20 Mbps transfer rate
- 7 devices maximum
- 50 pin internal connector
- DB50/HP external connector
- Driver Support: Windows 98/2000, NT, DOS, SCO UNIX, Netware, OS2 and Solaris

155151



PCI Ultra 133 Controller Card

- Two Ultra 133 IDE channels with 40 pin/80 wire connectors
- Supports up to 4 IDE/ATA devices
- Supports any IDE Hard Drive, DVD, CD-ROM or Zip Drive
- Windows 98/2000/Me/XP/NT 4.0 compatible
- Bootable

168694



Ultra 160 SCSI Controller Card

- For Ultra 160 devices
- 160 Mbps transfer rate
- 15 devices maximum
- 68 pin Ultra 160 internal connector
- DB68/HP external connector
- Driver Support: Windows 98/2000, NT, DOS, SCO UNIX,
- Netware, OS2 and Solaris

155984



Ultra-Wide SCSI Controller Card

- For Ultra-wide SCSI devices
- 40 Mbps transfer rate
- 15 devices maximum
- 50 pin and 68 pin internal connectors
- DB68/HP external connector
- Driver Support: Windows 98/2000, NT, DOS, SCO UNIX,
- Netware, OS2 and Solaris

155410



Ultra 2 LVD SCSI Controller Card

- For Ultra 2 LVD devices
- 80 Mbps transfer rate
- 15 devices maximum
- 68 pin LVD internal connector
- DB68/HP external connector
- Driver Support: Windows 98/2000, NT, DOS, SCO UNIX,
- Netware, OS2 and Solaris

155489



Related Products

Round SCSI Cable p. 53

364836

Serial ATA Docking Kit p. 35

451086

Power Supply for Cases

A

250 W power supply for AT
A. 153720

250 W power supply for ATX
165105

300 W power supply for ATX, P4 compatible
700900

400 W power supply for ATX, P4 compatible
168618

500 W Dual Fan Power Supply for ATX, P4 compatible
B. 170208

B

HDD Mounting Kit

- Mounting rails for installation of a 3.5" hard drive into a 5.25" bay
- High quality, durable metal rails
- Includes mounting hardware

422475

C. 2.5" to 3.5" mounting kit with 40-44 pin adapter
424547



D

C

FDD Mounting Frame

- Universal mounting frame for a 3.5" floppy drive into a 5.25" bay
- Includes mounting hardware

D. 422406 Plastic, Beige

433556 Plastic, Black

E. 423106 Metal



E

Related Products

CPU Cooler p. 32
701792

ATX Micro Tower p. 15
171489

ALL FANS BALL BEARING

CPU Cooler for AMD

- High-end copper heatsink
- Specifically designed for ultimate cooling of all socket A CPUs

701792

Cooler for AMD Duron

- High-end copper heatsink
- Specifically designed for ultimate cooling of all socket A CPUs

337946



Cooler for Pentium IV

- Specially designed for socket 478 Pentium IV CPUs up to 2.4 GHz

701785

Cooler for Pentium IV

- Specially designed for high speed Socket 478 Pentium IV CPUs up to 3.0 GHz
- Large heatsink for optimum cooling
- 3-Pin motherboard connector

701853

Cooler for Socket 7/370

- Large heatsink design for AMD K6 and Intel Celeron CPUs
- Works with all Socket 370, PPGA, flip chips and Socket 7 CPUs

700580 4 pin connector

700252 3 pin connector

Video Card Chipset Cooler

- Specially designed to keep video card chipsets cool
- Spring clip attachment

701402 Standard version

701334 Orbit version

Cooler for Pentium III

- S.E.C.C. II or P-III CPU Cooling Fan
- Dual Fan

700627





Cooler for Pentium II

- Single fan version

700399

Thermal Compound in Syringe

701662 1.5g

Related Products

PCI 10/100 Network Card p. 36

520584

Cold Cathode Lamp p. 17

169400

4 Channel Fan Controller

Available March 2004

- Fits in any 5.25" bay
- 4 colored control knobs
- Supports fans up to 13 watts
- Ideal for high CFM fans

172066 Black

172004 Silver

Hard Disk Cooler

- Eliminates drive overheating
- Fits directly on any 3.5" hard drive
- Extends hard drive life
- Receives power via 4 pin pass-through connector



Single Fan Design
700559

Dual Fan Design
210799

Lighted Case Fan

- Ball bearing
- 3.1875" x 3.1875" x 1" (80 x 80 x 25 mm)
- 4 pin

701686 Midnight Blue

701693 Apple Green

G. 701679 Cherry Red

701709 Rainbow

Bay Mount System Cooler

- Mounts in 5.25" bay
- Cools entire system
- Receives power via 4 pin pass-through connector

700573

Case/Power Supply Fan

Fan, sleeve 1.58" x 1.58" x 0.79" (40 x 40 x 10 mm)
700665 4 pin

Fan, sleeve 2.375" x 2.375" x 1.1875" (60 x 60 x 20 mm)
F. 700313 4 pin

Fan, sleeve 3.1875" x 3.1875" x 1" (80 x 80 x 25 mm)
700320 4 pin
700955 3 pin



Fan, Ball-Bearing 3.1875" x 3.1875" x 1" (80 x 80 x 25 mm)
700894 4 pin
701747 3 pin

Available April 2004

Fan, Ceramic-Bearing 3.1875" x 3.1875" x 1" (80 x 80 x 25 mm)
702041 4 pin

Fan, sleeve 3.625" x 3.625" x 1" (92 x 92 x 25 mm)
700337 4 pin

Fan, sleeve 4.72" x 4.72" x 1" (120 x 120 x 25 mm)
701655 4 pin
702034 3 pin

Mountable Slot Cooler

- Mounts as a slot bracket
- Cools entire case / system
- Receives power via 4 pin pass-through connector

210140

Related Products

Screwless ATX Case p. 16
168717

EL ATA Round Cable p. 16
344746

PC to TV Converter

- Provides a sharp, stable image output on your television.
- Great for presentations - your choice of computer or TV
- Minimum flicker TV output
- S-Video output
- 24 bit true color
- Requires one MANHATTAN high resolution SVGA male to female cable (for connecting the video splitter to the computer)

155168

Console Extender

Uses CAT. 5 to extend the distance between the PC and a remote keyboard, monitor and mouse.



- Extends distance up to 500 ft
- Uses standard Cat. 5e cable
- Resolution 1024 x 768 at 500 ft

210805

RS232 to RS422/485 Converter

- Converts RS232 (DB25) to RS422/485
- DTE/DCE selectable
- Max. distance up to 2,000 m at max.100k baud
- Full- or half-duplex

150361

Line Extender Kit

- Allows transmission of parallel data up to 1200 ft using low cost RJ11 cabling
- Kit includes: transmitter- DB25M to RJ11F receiver- CEN36M to RJ11F, 50 ft 4 conductor RJ11 cable, coupler (2 x RJ11F)
- External power supply optional

151870
Line Extender Kit

Serial/Parallel Converter

- Supports all serial data formats
- Supports x-on/x-off and DTR handshaking protocol for serial port

150330 Parallel to Serial converter

152273 Serial to parallel or parallel to serial converter, selectable via DIP switch

Professional Video Splitter

- Ideal for presentations, demonstrations, exhibits and monitor testing
- Advanced boosting technology for long distance applications
- Supports VGA, SVGA and multi-sync monitors
- High bandwidth and high resolution for superior video quality
- No software required; works with any standard video card
- LEDs for power and activity
- Automatic power save mode if video input is lost
- 350 Mhz signal bandwidth
- Requires one MANHATTAN high resolution SVGA male to female cable (for connecting the video splitter to the computer)

169349
2 Way

169356
4 Way

169363
8 Way

Standard Video Splitter

- VGA compatible
- HD15 Pin Connections
- 150 MHz signal bandwidth
- Requires DB15HD M/F connection cable part number 309011

153164
2 Way

151979
4 Way

151986
8 Way

Related Products

SVGA Monitor Cable p. 51
360586

IDE to Serial ATA 150 Converter p. 29
170567

IDE DOCKING KIT

- Enables use of alternate hard disks
- Ideal for users needing hard drives in multiple locations, i.e. office and home
- Protects data from unauthorized access
- Available for IDE and SCSI hard disk drives
- Installation into any 5.25" bay
- Lockable - 2 keys included
- Mounting hardware included

441223
IDE hard drive docking kit

441209
Extra tray for 441223

A. 450713
Ultra 66 10,000 RPM docking kit, dual fan

450751
Extra tray for 450713

B. 450737
Ultra 133 docking kit, dual fan, aluminum

450768
Extra tray for 450737

SATA DOCKING KIT

- Take hard drive for use in multiple PCs
- Remove hard drive for storage of sensitive data
- Conveniently replace a defective hard drive
- SATA 150 transfer rate of 1.5 Gbps
- Hot swappable SATA 150 connectors

NEW C. 451055
IDE Internal - SATA External, Metal Case

NEW D. 451079
IDE Internal - SATA External, Plastic Case

Available April 2004

NEW 451062
SATA, Metal Case

NEW 451086
SATA, Plastic Case

Related Products

USB 2.0 2.5 in HDD Enclosure p. 24
701617

IDE Dual Ribbon Cable p. 63
316484

- Plug and Play for Windows 95/98/2000/Me
- 10/100 Mbps will operate with either 10 Mbps 10Base-T or 100 Mbps 100Base-TX Hubs or switches
- LEDs for link, speed and activity
- User friendly installation and diagnostic software
- Driver support for popular Network Operating Systems
- Linux driver support
- Microsoft and Novell lab tested and approved

NETWORKING PREVIEW

LIFETIME WARRANTY

When it comes to professional, high quality products, INTELLINET ACTIVE NETWORKING is the *Smart Choice* for all your network solutions. We offer a complete line ranging from 10 Mbps cards and hubs... to gigabit switches... to wireless LAN components, all at very competitive prices. Plus INTELLINET ACTIVE NETWORKING products are backed by expert technical support and a full lifetime warranty.

10/100 Network Card with Via Chipset Boot ROM Socket

- Automatically negotiates optimal network speed
- Boot ROM socket
- Full duplex for maximum bandwidth
- Via® chipset
- Bus mastering for high performance and low CPU utilization
- Complies with IEEE 802.3 10Base-T and 802.3u 100Base-TX standards
- LED for link/activity
- PCI V 2.1 or higher bus architecture
- Driver/software support for Windows 95/98/2000/Me/XP and NT, Novell and Linux
- Lifetime Warranty

520584

10/100 PCI Network Card

- PCI 10/100Base-TX card
- 32 bit PCI bus-mastering for high performance
- Realtek 8139 chipset
- PCI 2.1 compliant
- Full duplex

509510

10/100 PCI Network Card with Wake-on LAN

- PCI 10/100Base-TX card with wake-on LAN
- 32 bit PCI bus-mastering for high performance
- Realtek 8139 chipset
- PCI 2.1 compliant
- Full duplex

163989

10/100 Low Profile PCI Network Card

- PCI 10/100Base-TX low profile card
- Low profile 8 cm bracket
- 32 bit PCI bus-mastering for high performance
- Realtek 8139 chipset
- PCI 2.2 compliant
- Full duplex

515207



USB to 10/100 Ethernet Adapter

- Install a network without ever opening the computer!
- Performs the same function as a standard network card
- Connect directly to the USB port
- Creates a RJ45 female network connection
- Great for Notebook users

205184 USB 1.1 version

205528 USB 2.0 version

PCMCIA 10/100 Mbps card, RJ45

- Dongleless – no cable to lose
- Fits any Type II or Type III PCMCIA slot
- 10/100 Autosensing

520522

Related Products

Cat. 5e Patch Cable with Molded Boot p. 54
364577

ATX Mid Tower p. 15
171724

INTELLINET ACTIVE NETWORKING caters to the independent reseller, VAR and systems integrator with attractive retail packaged network solutions. Professional selection, quality, price, warranty – we have it all!

Note: These pages contain only a small cross-section of the INTELLINET ACTIVE NETWORKING product line. Contact your sales representative or visit us on the Internet for a full line catalog.

SPECIFICATIONS			
Model	512725	515221	515238
Network Port	5	8	16
Speed	10 Mbps or 100 Mbps	10 Mbps or 100 Mbps	10 Mbps or 100 Mbps
Full Duplex	Yes	Yes	Yes
Auto-Negotiation	Yes	Yes	Yes
MAC Address	1024	8192	8192
Buffer Memory	128KB	256KB	512KB

5/8/16 Port 10/100 Switch

- 5/8/16-Port 10/100M Fast Ethernet Switch
- 10/100Mbps and Half/Full Duplex
- Nway Auto-Negotiation
- Non-Blocking design
- Store and forward switching architecture
- Desktop size
- Compact and slim design

512725 5 Port

515221 8 Port

515238 16 Port

Specifications:

- 10/100 Auto-Sensing ports
- Each switching port is Auto-Negotiating
- Supports 2K MAC address entries
- Address filtering on all ports
- Four LEDs per port
- Reset button on front panel
- Full wire speed forwarding rate
- 256K buffer memory
- True non-blocking switch architecture
- IEEE 802.3x flow control for full duplex operation
- Uplink port

Metal Desktop Switch

- 10/100 Auto-Sensing Ports
- 10/100Mbps and Half/Full Duplex
- Nway Auto-Negotiation
- Auto MDI/MDI-X on every port
- Non-Blocking design
- Store and forward switching architecture
- Desktop size
- Compact and slim design

523301 5 port

523318 8 port

522595 16 port

SPECIFICATIONS			
Model	523301	523318	522595
Network Ports	5	8	16
Speed	10/100	10/100	10/100
Full-duplex	Yes	Yes	Yes
Auto-Negotiation	Yes	Yes	Yes
MAC Address	2K	2K	2K
Buffer Memory	1 Mbit	1 Mbit	640 Kbit

Related Products

8 port Rack Mountable KVM Switch p. 41

156899

Multimode Fiber Optic Patch Cable p. 67

515764



Stand-Alone Unit – Installs Anywhere On Your Network

Built-In Web Server – No Host PC Required



Network IP Camera
550710

View Live, Full Motion Video Using Any Web Browser!

Essential Business Application Features Including –

- **Embedded Operating System**
  Eliminates Dependence On Additional Servers
- **Built-In Motion Detection & Recording Software**
- **Multiple Log In**
  Supports Up To 100 Users Simultaneously
- **FTP Upload**
  Transmits Live Images To Any Web Page For Online Promotions
- **Plug-and-Play**
  Quick & Easy 3-Step Setup
- **Powerful Video Compression**
  Stores up to One Full Month of Video on a Typical PC
- **No Special Software or Additional Hardware Required**
- **Assign a Fixed Public IP Address for Anytime, Anywhere Viewing Over the Internet**
- **Assign a Fixed Private IP Address for Viewing Over Your Local Network**

Why Choose a Network IP Camera over a Web Camera?

An IP Camera is a true networking device containing an embedded OS (Operating System), supports multiple users, and can be viewed using any web browser. It does not require additional hardware to operate and therefore has the flexibility to be located anywhere with a network connection.

A web cam must be connected to a host computer, supports only one user at a time, and cannot be shared on a network. Only the host computer can access the web cam.

Applications

- Day Care Centers
- Homes
- Hospitals
- Retail Stores
- Warehouses
- Assisted Living
- Construction
- Schools
- Churches
- Community Events
- Sporting Venues
- Offices
- Factories

Why Choose the INTELLINET ACTIVE NETWORKING IP Camera?

		Other Professional Network IP Cameras
Motion Detection	Yes (Built-In)	Some (on client side)
Event triggered image transfer (FTP, Email)	Yes	No
Numbers of Simultaneous Users	100	Some, up to 10
Sequentially Upload Images to a Remote Server (FTP, SMTP)	Yes	No
Record Video to Hard Drive	Yes	Some
DivX Video Compression	Yes	No
JPEG Compression Levels	10	3 up to 10 levels
Multi-Camera Viewer	4 Channel Support	1 up to 4 channels
Video Sensor	1/3" CMOS	1/3" and 1/4"
Maximum Frame Rate	30	10 up to 30
Minimum Resolution	160x120	160x120 & 320x240
C/CS Mount	Changeable	Changeable & fixed
Indoor/Outdoor Use	Yes (Housing required for outdoor use)	Indoor only
Operating Temperature	0-50° C	5-50° C
Serial Connector	Yes	No
Pan/Tilt/Zoom Control	Yes (External)	No
Snap-shot Save	Yes	No
Server-Push Behind Firewall	Yes	Some
Warranty	Lifetime	One to Two Years

Indoor/Outdoor Pan, Tilt and Zoom Network IP Camera

Network IP Camera (550710) equipped with a zoom lens, indoor/outdoor enclosure, pan/tilt motor and control box.

- 8X zoom lens
- 350º pan, 90º tilt
- Pan, Tilt and Zoom controlled via the browser

550734

Network IP Camera Accessories

Pan Motor

- Ideal for covering whole rooms
- Continuous pan between pre-set stops
- 6 in. power cord

169295

Indoor Enclosure

- Protects IP Camera for indoor use
- Mounting bracket included

171144

Power over Ethernet Injector

- Designed exclusively for use with the PoE version of the Intellinet Active Networking IP camera
- Ideal for applications where power is not present
- Replaces the power cord for the camera
- For use with Network IP Camera only

521444

Outdoor Enclosure

- Weatherproof enclosure for outdoor use
- Operating temperature 0°
- Mounting bracket included

170758

Power Over Ethernet Adapter

- Ideal for applications where power is not present
- For use with Network IP Camera
- Replaces the power cord for the camera

521451

Injector

Splitter

Lenses

550680 Variable Focus Lens (35-77.5˚)

550673 Wide Angle Lens (98.7˚, Manual Iris)

550123 Wide Angle Lens (105˚, Fixed Iris)

Related Products

LAN Identification Cable Tester p. 68

258807

Cat. 6 Patch Cable p. 66

334112

GO WIRELESS!

Network your computers without the hassle of wires. No more opening up walls, climbing through your attic or stringing cables across the floor or ceiling. With the INTELLINET ACTIVE NETWORKING wireless system you can network your computers together no matter where they are in your home or office up to 450ft per access point.

- Wired Equivalent Privacy (WEP) Data Encryption for Security
- Wi-Fi Compliant
- Easy Plug-and-Play Installation
- Monitoring and Signal Strength Utility Software Included

USB 11 Mbps Wireless Adapter

- W i-Fi compliant, 802.11b compliant
- No wires, no hassles, begin sharing drives, files, printers and the Internet immediately
- Simply plug into a USB port, no need to open the case
- Direct Sequence Spread Spectrum (DSSS) operation
- 64-bit and 128-bit WEP (Wired Equipment Privacy) data encryption
- 11 Mbps transfer rate
- Management software included to monitor all access points and wireless stations
- Dimension, 2.5 x 3.75 x .5
- Drivers included for Windows 98/2000/Me

520904

PCMCIA 11 Mbps Wireless Adapter

- Fits any Type II or Type III PCMCIA slot
- Realtek chipset
- 32 Bit Cardbus Card
- Windows 98/2000/Me/XP compatible
- 802.11b compliant
- 11 Mbps

520614

11 Mbps Wireless Router with 4 Port 10/100 Switch

- Share one DSL/cable modem broadband internet connection with wireless/wired clients
- One WAN port and four 10/100 LAN ports
- Detachable antenna - supports high gain antennas with RSMA connector
- Robust wireless LAN security
- Simple web configuration

523233

Wireless LAN 802.11G+ PC Card

- 10 times faster than 802.11b
- Up to 108 Mbps network data transfer rate
- Compatible with all 802.11b & g wireless products
- 64/128-bit WEP data encryption
- 32 bit cardbus
- Provides MAC access control for security
- Windows 98 SE, 2000, ME, XP compatible

522731

11 Mbps Wireless Access Point

- Connects a wireless network to a traditional wired network
- Fast 11 Mbps transfer rate
- Allows for greater distance between wireless PCs
- Detachable antenna - supports high gain antennas with RSMA connector
- Robust wireless LAN security
- Web configuration & WDS support
- Complies with IEEE 802.11b (DSSS) 2.4 GHz specification
- Provides 64/128 bit key length WEP data encryption
- Provides MAC access control for security
- Auto rate fallback in case of signal interference

522601

Wireless 802.11G+ PCI Adapter

- 10 times faster than 802.11b
- Up to 108 Mbps network data transfer rate
- Compatible with all 802.11b & g wireless products

522748

Related Products

5 Port 10/100 Switch p. 37

512725

USB 2.0 Shielded Extension Cable p. 46

364744

iVIEW KVM switches are the perfect solution for anyone who operates multiple computers. KVM switches allow one user easy control of multiple computers from a single keyboard, monitor and mouse. iVIEW KVM switches save money by eliminating redundant computer equipment. KVM switches also keep power costs down, save on valuable space and make it more convenient – no more moving from computer to computer! All iVIEW KVM switches require no software and offer easy CPU selection via keyboard or push button.

HIGH QUALITY METAL CONSTRUCTION

NEW

2-Port Mini KVM Switch with Integrated Cables

- Simply plug in the attached cables... Nothing else required!
- Full keyboard and mouse emulation for error free booting
- Hot key commands and LED indicators for computer selection
- No software or power required
- Supports video resolution up to 2048x1536, DDC2B
- Compatible with all operating systems

172110 Control two PS/2 computers with one keyboard, monitor and mouse

172127 Control two PS/2 computers with one keyboard, monitor and mouse with audio support

172370 Control one PS/2 and one USB computer with one keyboard, monitor and mouse with audio support

2/4 Port Compact KVM Switch

- 3-in-1 cables included
- Manage/control 2/4 PS2 computers from one keyboard, monitor and mouse
- No software required, works independently of computer operating systems
- Switch between PCs with the press of a button or keyboard "hot key" commands
- Supports 1920 x 1440 high resolution
- Slim desktop design with all cables at the rear saves desktop space

3-IN-1 CABLES INCLUDED

156745 2 Port

156752 4 Port

4/8 Port KVM Switch

- Manage/control multiple CPUs from one keyboard, monitor and mouse
- No software required
- Works independently of computer operating systems, allowing the attached computers to run different operating systems
- Hot Plug and Play, no need to shut down the KVM switch to attach or remove PCs
- Mouse conversion technology, one PS2 mouse controls computers using PS2 or Serial mice
- Supports Intellimouse™ and Intellitrack™ mice
- Switch between PCs with the press of a button or keyboard "hot key" commands
- Supports 1920 x 1440 resolution
- Requires standard cables
- Cascade to other 4/8 port iView KVM switches for expansion

iVIEW PRODUCTS CARRY A LIFETIME WARRANTY!

4 Port Desktop
Requires: 4 of 3-in-1 spider cable
156714

8 Port Rack Mountable
Requires: 8 of 3-in-1 spider cable
156899

3-in-1 Spider Cables
- MD6 male to male
- MD6 male to male
- HD15 male to female

205009 6 ft
205016 10 ft
204996 15 ft
323994 30 ft

USB KVM Switch

- Control up to four PCs or Macs from one keyboard, monitor and mouse
- Works with MAC and PC simultaneously
- Built-in 2/4 port USB hub allows you to share up to 4 USB devices among the connected computers. The selected computer has access to the four shared USB devices.
- No software required
- Works independently from computer operating systems - allows attached computers to run different operating systems
- Supports up to 1920 x 1440 resolution
- Switch between PCs with the push of a button
- Requires one USB A-B cable and one SVGA HD 15 m/f cable for each computer

2 Port	4 Port	4 Port USB / PS/2 Combo
157896	157889	157872

4/8 Port KVM Switch with OSD

- On screen display
- Name your computers
- Switch computers from the list
- Display systems status - all on screen

4 Port Desktop with OSD
Requires: 4 of 3-in-1 spider cable
156721

8 Port Rack Mountable with OSD
Requires: 8 of 3-in-1 spider cable
156738

16 Port KVM Switch with OSD

- Manage/control up to sixteen computers from one keyboard, monitor and mouse
- Pop-up On Screen Display menu enables you to assign computer names then identify and select computers by the names
- Password security to prevent unauthorized access
- No software required
- Works independently of computer operating systems, allowing the attached computers to run different operating systems
- Hot Plug and Play, no need to shut down the KVM switch to attach or remove PCs
- Mouse conversion technology, one PS2 mouse controls computers using PS2 or Serial mice
- Supports Intellimouse™ and Intellitrack™ mice
- Switch between PCs with the press of a button or keyboard "hot key" commands
- Supports 1920 x 1440 resolution
- Requires: 4 of 3-in-1 spider cable

157858